L Number	Hits	Search Text	DB	Time stamp
3	316	((display\$3 or output\$3 or show\$3 or	USPAT;	2003/11/11
,	316	render\$3) with (in adj succession)) and (@ad<20010426)	US-PGPUB; IBM TDB	15:08
.	81	, - ,	USPAT;	2003/11/11
4	0.1	chronologic\$7) and ((display\$3 or	US-PGPUB;	15:13
1		chronologics // and ((displays) of		1 13.13
		output\$3 or show\$3 or render\$3) with ((in	IBM_TDB	
		adj succession) or (one near2 one) or		
		continous\$5)) and (@ad<20010426)		
7	176	((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
		chronologic\$7) and (captur\$3 with (file\$2	US-PGPUB;	16:18
		or object\$2 or data\$2 or record\$2 or	IBM_TDB	
		image\$2 or picture\$2 or vedio\$2 or		
		multimedia)) and (@ad<20010426) .		i
.3	1	(((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
.	_	chronologic\$7) same (easy or fast)) and	US-PGPUB;	18:21
İ		(captur\$3 with (file\$2 or object\$2 or	IBM TDB	1
		data\$2 or record\$2 or image\$2 or	i	
		picture\$2 or vedio\$2 or multimedia)) and		
_	201	(@ad<20010426)	USPAT;	2003/11/11
.6	321	((display\$3 or output\$3 or show\$3 or		17:26
		play\$3 or render\$3) with ((in adj	US-PGPUB;	17:26
		succession) or ((one near2 one) with	IBM_TDB	
		continous\$5))) and (@ad<20010426)		0000 (11 (11
ا.7	19		USPAT;	2003/11/11
		play\$3 or render\$3) with (music or	US-PGPUB;	17:30
		multimedia\$3 or image\$2 or file\$2) with	IBM_TDB	
		((in adj succession) or ((one near2 one)	_	
		with continous\$5))) and (@ad<20010426)		
.9	486		USPAT;	2003/11/11
. 9	300	play\$3 or render\$3) with (music or	US-PGPUB;	17:31
		multimedia\$3 or image\$2 or file\$2) with	IBM TDB	
		((in adj succession) or ((one near2 one)	15.1_155	
		((in adj succession) or ((one hearz one)		
		with continous\$5) or forward)) and		1
		(captur\$3 with (file\$2 or object\$2 or		
		data\$2 or record\$2 or image\$2 or		
		picture\$2 or vedio\$2 or multimedia)) and		
		(@ad<20010426)		
21	1	(((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
-]	chronologic\$7) same (easy or fast)) and	US-PGPUB;	18:22
	1	(captur\$3 with (file\$2 or object\$2 or	IBM_TDB	
		data\$2 or record\$2 or image\$2 or	-	
	I	picture\$2 or vedio\$2 or multimedia)) and	1	
	1	(@ad<20010426) and ((stor\$3 or sav\$3 or		1
			,	
	0000	sort\$3) with order) ((captur\$3 or sav\$3 or track\$3 or trap\$5	USPAT;	2003/11/11
-	9931	or store or storing) with (message or	US-PGPUB;	15:06
				13.00
		frame or screen or banner or	IBM_TDB	
		advertisement or ads)).ab. and		
		(@ad<20010426)		2000/05/25
_	73		USPAT;	2003/05/15
		reshow\$3 or (re adj (wind\$3 or play\$3 or	US-PGPUB;	12:50
		display\$3 or show\$3))) and ((captur\$3 or	IBM_TDB	
		sav\$3 or track\$3 or trap\$5 or store or	_	
		storing) with (message or frame or screen		
		or banner or advertisement or ads))).ab.		
		and (@ad<20010426)		
		diu (Edu/20010420)	USPAT;	2003/05/15
-	4	((rewind\$3 or replay\$3 or redisplay\$3 or		12:51
		reshow\$3 or (re adj (wind\$3 or play\$3 or	US-PGPUB;	12:31
		display\$3 or show\$3))) and ((automatic\$5	IBM_TDB	
		or dynamic\$5) with (captur\$3 or sav\$3 or		
		track\$3 or trap\$5 or store or storing)		
		with (message or frame or screen or		
	1	banner or advertisement or ads))).ab. and		

 493 ((rewind\$3 or replay\$3 or redisplay\$3 or USPAT; 	2003/05/15
reshow\$3 or (re adj (wind\$3 or play\$3 or US-PGPU	B; 12:52
display\$3 or show\$3))) with (browser or IBM_TDE	
html or xml or page or web or message or	
frame or screen or banner or	
advertisement or ads)).ab. and	
(@ad<20010426)	
- 276 ((automatic\$5 or dynamic\$5) with USPAT;	2003/05/15
(captur\$3 or sav\$3 or track\$3 or trap\$5 US-PGPU	B; 12:55
or store or storing) with (message or IBM TDE	
frame or screen or banner or	
advertisement or ads)) and ((rewind\$3 or	
replay\$3 or redisplay\$3 or reshow\$3 or	
(re adj (wind\$3 or play\$3 or display\$3 or	
show\$3))) with (browser or html or xml or	ļ
page or web or message or frame or screen	†
or banner or advertisement or ads)) and	
(@ad<20010426)	
- 143 (internet or web or html or USPAT;	2003/05/15
display\$3).ab. and ((automatic\$5 or US-PGPU	B; 12:58
dynamic\$5) with (captur\$3 or sav\$3 or IBM TDE	
track\$3 or trap\$5 or store or storing)	· [
with (message or box or frame or screen	1
or banner or advertisement or ads)) and	
((playback\$3 or rewind\$3 or replay\$3 or	
redisplay\$3 or reshow\$3 or (re adj	
(wind\$3 or play\$3 or display\$3 or	
show\$3))) with (browser or html or xml or	
page or web or message or frame or screen	j
or banner or advertisement or ads)) and	
(@ad<20010426)	
- 458 (internet or web or html or USPAT;	2003/05/15
display\$3).ab. and (automatic\$5 with US-PGPU	B; 12:58
(captur\$3 or sav\$3 or track\$3 or trap\$5 IBM_TDM	·
or store or storing) with (message or box	
or frame or screen or banner or	
advertisement or ads or browser or web))]
and (@ad<20010426) and (707/\$.ccls. or	1
709/\$.ccls. or 715/\$.ccls. or 705/\$.ccls.	
or 345/\$.ccls.)	
- 238 (snapshoot\$3 or snapshot\$3 or (snap adj USPAT;	2003/05/15
(shoot\$3 or shot\$3))).ab. and US-PGPU	•
(@ad<20010426) IBM_TDM	,
- 19 ((snapshoot\$3 or snapshot\$3 or (snap adj USPAT;	2003/05/15
(shoot\$3 or shot\$3))) with (screen or US-PGPU	
frame or web or browser or advertisement IBM_TDM	
or ads)).ab. and (@ad<20010426)	
- 36 ((snapshoot\$3 or snapshot\$3 or (snap adj USPAT;	2003/05/15
(shoot\$3 or shot\$3))) and (screen or US-PGPU	
frame or web or browser or advertisement IBM_TDM	
or ads)).ab. and (@ad<20010426)	
- 387 (((snapshoot\$3 or snapshot\$3 or (snap adj USPAT;	2003/05/15
(shoot\$3 or shot\$3))) and (screen or US-PGPU	· ·
	·
frame or web or browser or advertisement IBM_TDM	
or ads)) same (sav\$3 or store or	
or ads)) same (sav\$3 or store or storing)) and (@ad<20010426)	
or ads)) same (sav\$3 or store or storing)) and (@ad<20010426) - 114 ((((snapshoot\$3 or snapshot\$3 or (snap USPAT;	2003/05/15
or ads)) same (sav\$3 or store or storing)) and (@ad<20010426) - 114 ((((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or US-PGPU)	B; 13:01
or ads)) same (sav\$3 or store or storing)) and (@ad<20010426) - 114 ((((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or US-PGP) frame or web or browser or advertisement IBM_TDM	B; 13:01
or ads)) same (sav\$3 or store or storing)) and (@ad<20010426) - 114 ((((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or	B; 13:01
or ads)) same (sav\$3 or store or storing)) and (@ad<20010426) - 114 ((((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or storing)) and (@ad<20010426)) and	B; 13:01
or ads)) same (sav\$3 or store or storing)) and (@ad<20010426) - 114 ((((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or	B; 13:01

			_	
-	573		USPAT;	2003/05/15
		display\$3).ab. and ((captur\$3 or sav\$3 or	US-PGPUB;	13:03
		track\$3 or trap\$5 or store or storing)	IBM_TDB	
		with (message or box or frame or screen		
		or banner or advertisement or ads)) and		
		((playback\$3 or rewind\$3 or replay\$3 or		
		redisplay\$3 or reshow\$3 or (re adj		
		(wind\$3 or play\$3 or display\$3 or		
		show\$3))) with (browser or html or xml or page or web or message or frame or screen		
		or banner or advertisement or ads)) and		<u> </u>
		(@ad<20010426) and (707/\$.ccls. or		
		709/\$.ccls. or 715/\$.ccls. or 705/\$.ccls.		
		or 345/\$.ccls.)		
_	25		USPAT;	2003/05/15
		adj (shoot\$3 or shot\$3))) and (screen or	US-PGPUB;	13:04
		frame or web or browser or advertisement	IBM TDB	
		or ads)) same (sav\$3 or store or	_	
	·	storing)) and (@ad<20010426)) and		
		(internet or web or html or		
		display\$3).ab. and ((playback\$3 or		
1		rewind\$3 or replay\$3 or redisplay\$3 or		
		reshow\$3 or (re adj (wind\$3 or play\$3 or		1
		display\$3 or show\$3))) with (browser or		
		html or xml or page or web or message or		
		frame or screen or banner or		
	1	advertisement or ads))	HCDAM.	2002/05/17
-	1	"20010039546"	USPAT;	2003/05/17
			IBM TDB	00.41
_	1	((captur\$3 or sav\$3 or track\$3 or trap\$5	USPAT;	2003/05/16
	1	or store or storing) with (message or	US-PGPUB;	14:56
		frame or screen or banner or	IBM TDB	
		advertisement or ads)).ab. and	-	
		(@ad<20010426) and (autosav\$3 or (auto		
1		adj sav\$3))		
-	27	((captur\$3 or sav\$3 or store or storing)	USPAT;	2003/05/16
		with (message or frame or screen or	US-PGPUB;	17:06
		banner or advertisement or ads)) and	IBM_TDB	
	[(@ad<20010426) and (autosav\$3 or (auto	1	
		adj sav\$3))		0000/05/25
-	359	((captur\$3 or sav\$3 or store or storing)	USPAT;	2003/05/16
	1	with (message or frame or screen or banner or advertisement or ads) with	US-PGPUB;	17:11
		(configura \$5 or predetermined or defined)	IBM_TDB	
		with (rate or time or frequen\$3 or		
		period\$3)) and (@ad<20010426) and		
	i	(345/\$.ccls. or 705/\$.ccls. or		
		707/\$.ccls. or 709/\$.ccls. or	1	
-		715/\$.ccls.)		
_	1132	((display\$3 or present\$3) with (image or	USPAT;	2003/05/16
		picture or message) with (predetermined	US-PGPUB;	18:21
		or defined configura\$3) with (time or	IBM_TDB	
		rate or frequenc\$3)) and (@ad<20010426)	_	
		and (345/\$.ccls. or 705/\$.ccls. or		
	1	707/\$.ccls. or 709/\$.ccls. or		
	1	715/\$.ccls.)		

-	82	(((captur\$3 or sav\$3 or store or storing)	USPAT;	2003/05/16
		with (message or frame or screen or	US-PGPUB;	15:15
		banner or advertisement or ads) with	IBM_TDB	
		(configura\$5 or predetermined or defined)		
		with (rate or time or frequen\$3 or		1
		period\$3)) and (@ad<20010426) and		
		(345/\$.ccls. or 705/\$.ccls. or		
		707/\$.ccls. or 709/\$.ccls. or		
		715/\$.ccls.)) and (((display\$3 or		
		present\$3) with (image or picture or		
		message) with (predetermined or defined		
		configura\$3) with (time or rate or		
		frequenc\$3)) and (@ad<20010426) and		
		(345/\$.ccls. or 705/\$.ccls. or		
		707/\$.ccls. or 709/\$.ccls. or		
		715/\$.ccls.))		
-	96	(powerpoint with presentation) and	USPAT;	2003/05/16
		(@ad<20010426) and (345/\$.ccls. or	US-PGPUB;	19:04
		705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls.	IBM TDB	
I		or 715/\$.ccls.)	_	
-	34	((powerpoint with presentation) and	USPAT;	2003/05/16
1		(@ad<20010426) and (345/\$.ccls. or	US-PGPUB;	15:26
I		705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls.	IBM TDB	
		or 715/\$.ccls.)) and rate		
-	1	(((captur\$3 or sav\$3 or store or storing)	USPAT;	2003/05/16
		with (message or frame or screen or	US-PGPUB;	15:22
		banner or advertisement or ads) with	IBM TDB	
	į.	(configura\$5 or predetermined or defined)	_	
		with (rate or time or frequen\$3 or		
		period\$3)) and (@ad<20010426) and		
		(345/\$.ccls. or 705/\$.ccls. or		·
		707/\$.ccls. or 709/\$.ccls. or		
		715/\$.ccls.)) and (powerpoint with		
		presentation)		
-	12	((powerpoint with presentation) and	USPAT;	2003/05/16
		(@ad<20010426) and (345/\$.ccls. or	US-PGPUB;	15:58
		705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls.	IBM_TDB	i
		or 715/\$.ccls.)) and (dispaly \$3 with		
		(rate or frequency))		
_	83	((captur\$3 or sav\$3 or store or storing)	USPAT;	2003/05/16
		with (message or frame or screen or	US-PGPUB;	17:51
		banner or advertisement or ads) with	IBM_TDB	
	ļ	(user or client) with (configura\$5 or]	
		predetermined or defined) with (rate or		
		time or frequen\$3 or period\$3)) and		
		(@ad<20010426) and (345/\$.ccls. or		ļ i
		705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls.		
	21	or 715/\$.ccls.)	Henam.	2002/05/16
-	21	((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or	USPAT;	2003/05/16 18:33
1		banner or advertisement or ads) with	US-PGPUB; IBM TDB	10.33
		(configura\$5 or predetermined or defined	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		or setted) with (time or period\$3) with		
1		interval) and (@ad<20010426) and		
		(345/\$.ccls. or 705/\$.ccls. or		
1		707/\$.ccls. or 709/\$.ccls. or		
1		715/\$.ccls.)	1	
-	2	(powerpoint and presentation).ab. and	USPAT;	2003/05/16
	[• [(@ad<20010426)	US-PGPUB;	18:20
		,,	IBM TDB	
-	240	((display\$3 or present\$3) with (image or	USPAT;	2003/05/16
		picture or message) with (predetermined	US-PGPUB;	19:04
1		or defined configura\$3) with (rate or	IBM TDB	
		frequenc\$3)) and (@ad<20010426) and	_	
		(345/\$.ccls. or 705/\$.ccls. or	1	
		707/\$.ccls. or 709/\$.ccls. or		
	1	715/\$.ccls.)	1	1

_	6	((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:36
_	111	715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16
-	. 23	715/\$.ccls.) and (network or online).ab. ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:06
-	3	online).ab. ((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval) with rate) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:04
-	58	online).ab. ((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:44
-	1159	I	USPAT; US-PGPUB; IBM TDB	2003/05/16 20:43
_	2	((DOM or (document adj object adj model)) with determin\$3 with (change or modification)) and (@ad<20010426)	USPAT; US-PGPUB; IBM TDB	2003/05/16 21:34
-	11	((captur\$3 or sav\$3 or store or storing or record\$3) with (different or modified or changed) with (file or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (DOM or (document adj	USPAT; US-PGPUB; IBM_TDB	2003/05/16 21:11
-	254	object adj model)) ((captur\$3 or sav\$3 or store or storing or record\$3) with ((different or modified or changed) near2 (file or message or frame or screen or banner or advertisement or ads))) and (@ad<20010426) and 707/\$.ccls. and (captur\$3 or sav\$3 or store or storing or record\$3).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 22:07

				0000/05/05
-	1	(((captur\$3 or sav\$3 or store or storing	USPAT;	2003/05/16
		or record\$3) with ((different or modified	US-PGPUB;	21:25
		or changed) near2 (file or message or	IBM_TDB	
1		frame or screen or banner or]
		advertisement or ads))) and		ļ .
		(@ad<20010426) and 707/\$.ccls. and		
		(captur\$3 or sav\$3 or store or storing or		
1		record\$3).ab.) and (DOM or (document adj		
,		object adj model))		
_	27	((DOM or (document adj object adj model))	USPAT;	2003/05/16
		with (change or modification or	US-PGPUB;	21:42
		trigger\$3)) and (document adj object adj	IBM TDB	
]		model) and (@ad<20010426)	1011_100	1
_	م د	((captur\$3 or sav\$3 or store or storing	USPAT;	2003/05/16
-	96	or record\$3) with ((different or modified	US-PGPUB;	22:12
		· ·		22.12
		or changed) near2 (file or message or	IBM_TDB]
		frame or screen or banner or		
		advertisement or ads))) and		
		(@ad<20010426) and 707/\$.ccls. and		
1		(captur\$3 or sav\$3 or store or storing or		
		record\$3).ab. and (determin\$3 with		
		<pre>(modified or chang\$3 or modification))</pre>		
-	7	5572643.pn. or 5708825.pn. or 5737619.pn.	USPAT;	2003/05/17
		or 5745360.pn. or 5761683.pn. or	US-PGPUB;	00:42
		6018748.pn. or 6021435.pn.	IBM_TDB	